



PREMIERLINE
INFINITY NETWORK CABLING SOLUTIONS



K8 server
cabinets

Catalog book



PREMIERLINE

INFINITY NETWORK CABLING SOLUTIONS

K8 Server Cabinets

01

Model No.
K8.6042.9001

W*D
600 * 1000

Capacity
42U



Standard

Comply with ANSI/EIA RS-310-D、IEC297-2、DIN41494；
PART1、DIN41494; PART7 Standard.



Feature

- Knock down SPCC steel profile frame, flat pack could reduce package volume up to 70% ;
- Save half cost of shipping and storage ;
- Delivered by one single person available ;
- Convenient to be installed in narrow space ;
- Easily be assembled in 15 minutes
- 19" standard installation with adjustable dimension;
- Hexagonal reticular high-density vented front door (patent) & rear door enable equipment protection, ventilation and reliable operation, with turning angle above 120 degrees and ventilation rate above 71 %;
- Three section side panels, each panel can be removed or installed separately ;

Loading Capacity

- Static loading: 1000KG (with adjustable feet) .

Degree of protection

- IP20


Main Material

- SPCC cold rolled steel ;
Thickness of Steel: mounting profile: 2.0mm; tray: 2.0mm;
mounting angle: 1.5mm; others: 1.2mm .

Surface Finish

- Frame: degreasing, phosphoric, dip-coat primed, powder coat ;
- Others: degreasing, phosphoric, powder coat .







Easy and reliable way to baying
(remove the side panels)



Knock down SPCC steel profile
frame, easy to be assembled




Code lock (Optional)



Fast release 3-section side panel

Main Structure





- 1. Top cover
- 2. Frame
- 3. Front door
- 4. Side panel
- 5. Left rear door
- 6. Right rear door
- 7. Advanced moon -shape lock
- 8. Mounting angle
- 9. Mounting profile
- 10. Tray
- 11. Heavy duty castor



Main Dimension

1. Top cover
2. Frame
3. Front door
4. Side panel
5. Left rear door
6. Right rear door
7. Advanced moon –shape lock
8. Mounting angle
9. Mounting profile
10. Tray
11. Heavy duty castor





PREMIERLINE
INFINITY NETWORK CABLING SOLUTIONS



K8 server cabinets

Model No.	Capacity	W*D
K8.6042.9001	42U	600 * 1000

Order Now!
+94 75 987 5500

Hotline : +94 77 314 5809 Fax : +94 11 269 4691



PREMIERLINE
INFINITY NETWORK CABLING SOLUTIONS



K8 server cabinets

Model No.	Capacity	W*D
K8.6042.9001	42U	600 * 1000

OrderNow!

www.premierline-cabling.com