



PREMIERLINE
INFINITY NETWORK CABLING SOLUTIONS



KD server
cabinets

Catalog book



PREMIERLINE

INFINITY NETWORK CABLING SOLUTIONS

KD Server Cabinets

01

Model No.
K8.6042.9001

W*D
600 * 1000

Capacity
42U

Standard

Comply with ANSI/EIA RS-310-D、IEC297-2、DIN41494 ;
PART1、DIN41494; PART7 Standard .



Feature

- Welded frame with high intensity;
- 19" standard installation with adjustable dimension;
- Exquisite design with precision measurement and craftsmanship;
- Blue Zinc Mounjting Profiles, free of static;
- Hexagonal reticular high-density vented front door (patent) & rear door enable equipment protection, ventilation and reliable operation, with turning angle above 120 degrees and ventilation rate above 71%;
- Bottom with cable entrance, optional cover to close;
- Three section side panels, each panel can be removed or installed separately;
- Advanced moon-shaped lock.

Loading Capacity

- Static loading: 1000KG (with adjustable feet).

Degree of protection

- IP20

Main Material

- SPCC cold rolled steel;
Thickness of Steel: mounting profile: 2.0mm; tray: 2.0mm;
mounting angle: 1.5mm; others: 1.2mm.


Surface Finish

- Frame: degreasing, phosphoric, dip-coat primed, powder coat;
- Others: degreasing, phosphoric, powder coat.





Single - section door



Double-section rear door



Cabinet with fish skeleton cable management slot (Optional)




Meta cable ring installed on the mounting profile



Advanced moon shaped lock



Welded frame with strong structure



Main Structure

- 1. Top cover
- 2. Frame
- 3. Front door
- 4. Side panel
- 5. Left rear door
- 6. Right rear door
- 7. Advanced moon –shape lock
- 8. Mounting angle
- 9. Mounting profile
- 10. Tray
- 11. Heavy duty castor





Width 600KD Server Cabinets





Main Dimension

1. Top cover
2. Frame
3. Front door
4. Side panel
5. Left rear door
6. Right rear door
7. Advanced moon –shape lock
8. Mounting angle
9. Mounting profile
10. Tray
11. Heavy duty castor





PREMIERLINE
INFINITY NETWORK CABLING SOLUTIONS



KD server cabinets

Model No.	Capacity	W*D
K8.6042.9001	42U	600 * 1000

OrderNow!

www.premierline-cabling.com